

POSSIBLE RISKS & HAZARDS

Name _____

Today's Date _____

Possible risks hazards or complications

Pain: There can be pain even after the topical anesthetic has been used. Anesthetics work better on some people than on others

Asymmetry: Every effort will be made to avoid asymmetry , but our faces are not symmetrical so adjustments may be needed in the follow up session to correct any unevenness

Anesthetics: Topical anesthetics are used to numb the area to be microbladed. Lidocaine, Prilocaine, Benzocaine, Tetracaine and or Epinephrine cream and/or liquid are used, if you are allergic to any of these numbing agents you should speak up now

Uneven Pigmentation: This can result from poor healing, infection, bleeding or many other causes. Your follow up appointment will likely correct any unevenness

Excessive Swelling or Bruising: Some people swell or bruise more than others. Ice packs may help reduce the swelling. The swelling or bruising typically disappears in 1-5 days. Some people don't swell or bruise at all

Infection: Infection is very unusual. The areas treated must be kept clean and only freshly washed hands should touch the areas

MRI: Because pigments used in permanent cosmetic procedures contains inert oxides, a low level magnet may be required if you need to be scanned by an MRI machine. You must inform your MRI technician of any tattoos or permanent cosmetics.

The alternative to these possibilities is to use traditional cosmetics and NOT undergo the semi permanent eyebrow procedure.

Consent and release for procedures preformed:

Signed _____

Date _____